

Измерители плотности VariDens

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sup@nt-rt.ru || сайт: <https://schmidt-haensch.nt-rt.ru/>



VariDens Series

Density Meter

The benchtop density meter with proven oscillating U-tube principle, offering precise and reliable density and concentration measurements

Typical application of the model

- Beverages
- Environmental
- Semi-Conductor
- Biotechnological industry
- Chemical industry
- Cosmetic industry
- Food industry
- Medical industry
- Petroleum industry
- Pharmaceutical industry
- Sugar industry



| SPECIFICATIONS | VariDens C | VariDens B |
|--------------------------------|---|-----------------------------|
| Measuring range | 0 - 3 g/cm ³ | |
| Temperature range | 10 - 95°C* (regulated Peltier thermoelement) | |
| Pressure range | 0 to 10 Bar (0 to 145 psi) | |
| Specifications | | |
| Accuracy | ± 0.0001 g/cm ³ ± | ± 0.00005 g/cm ³ |
| Reproducibility | 0.0001 g/cm ³ | ± 0.00002 g/cm ³ |
| Resolution | 0.0001 g/cm ³ | 0.00001 g/cm ³ |
| Temperature | | |
| Accuracy | ± 0.05 °C | ± 0.03 °C |
| Reproducibility | ± 0.02 °C | ± 0.01 °C |
| Resolution | 0.01 °C | 0.01 °C |
| Temperature stabilization time | 25 °C to 20 °C, ± 0.01 °C in 18 minutes* | |
| Wetted parts | Borosilicate glass, PTFE | |
| Bubble detection | Yes (combined: visual-electronic) | |
| Drying | Integrated air pump | |
| Temperature compensation | Yes | |
| Minimum sample volume | 1.5 ml | |
| Measuring time per sample** | < 10 sec | < 30 sec |
| Display | 7" touchscreen***, 800 x 480 Pixel | |
| Interfaces | Ethernet 10/100/1000, RS232, USB, WLAN*** | |
| Ambient conditions | Temperature 10 °C to 35 °C, Humidity < 85 % not condensing | |
| Power | VAC 90-265; 50/60 Hz; 150 W max | |
| Conformity | International Pharmacopoeia, ASTM, AOAC, DIN, 21 CFR part 11, ICUMSA and others | |
| Dimensions | With display: 430 x 300 x 235 mm (w x d x h) / without display: 430 x 300 x 150 mm (w x d x h) | |
| Highlights | Modularity; user friendliness; fast temperature control; easy cleaning; virtually maintenance free product, 21 CFR part 11 conform; ELN; LIMS ready | |

* Valid for ambient temp. = 20 °C
** After temperature stabilisation
*** Optional

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sup@nt-rt.ru || сайт: <https://schmidt-haensch.nt-rt.ru/>